



Ref: SCL-MLA/EHS/LUMS/2025-26/28

Dated: 04/07/2025

To,

The Member Secretary
Meghalaya State Pollution Control Board
'ARDEN', Lumpyngngad,
Shillong - 793014

Subject : **Submission of Environmental Monitoring Report for the month of June, 2025.**

Reference : **MPCB/TB-900(C) Vol-I/2023-2024/7, Dated Shillong, the 5th Sept, 2023.**

Dear Sir,

This is in reference to above cited subject, we are herewith submitting the monthly Environmental monitoring reports of Ambient Air Quality monitoring including meteorological data & Surface water monitoring report of **Wahpynkon Limestone Mine (4.85 Ha)** of M/s Star Cement Limited for the month of **June, 2025**.

This is for your kind information, record and kindly acknowledge receipt of the same.

Thanking You,

Yours truly,

For **STAR CEMENT LIMITED**

Laxmaiah Munjala
Unit Head

Enclosed: a/a

Copy to: The Regional Director, Central Pollution Control Board (CPCB), North Eastern Zonal Office, 'TUMSIR', Lower Motinagar, Shillong, Meghalaya-790314.

STAR CEMENT LIMITED

Corporate Office: Century House, 2nd Floor, P 15/1, CPT Colony, Taratala Road, Kolkata – 700088, E-mail: kolkata@starcement.co.in
Registered Office & Works: Village & PO-Lumshnong, P.S. Khliehriat, District- East Jaintia Hills, Meghalaya-793210, Phone: 03655-278215/16/18, Fax: 03655-278217

E-mail: ehslums@starcement.co.in | Website: www.starcement.co.in

ISO 9001:2015, ISO 14001: 2015 & ISO 45001: 2018 CERTIFIED COMPANY

CIN: L26942ML2001PLC006663




STAR CEMENT LIMITED

Lumshnong, Meghalaya

Date (DD-MM-YYYY)	Pressure (mmHg)	Relative Humidity (%)	Temp. (C)	Manual Rain (mm)
01-06-2025	951.6	97.7	24.0	38.4
02-06-2025	951.3	99.4	23.2	29.6
03-06-2025	953.0	99.6	21.4	4.8
04-06-2025	956.5	91.6	24.8	2.8
05-06-2025	957.6	87.3	26.1	7.2
06-06-2025	957.5	90.6	25.3	4.6
07-06-2025	957.7	88.9	25.4	0.0
08-06-2025	954.9	83.4	28.2	0.0
09-06-2025	954.8	91.1	25.5	0.0
10-06-2025	953.6	90.1	26.5	0.0
11-06-2025	954.8	94.3	25.0	15.8
12-06-2025	954.8	91.8	26.9	0.0
13-06-2025	955.4	91.1	26.1	0.0
14-06-2025	953.6	96.5	26.1	0.0
15-06-2025	952.7	89.9	27.7	12.6
16-06-2025	951.2	92.5	26.9	16.4
17-06-2025	953.7	93.9	26.3	4.4
18-06-2025	956.2	92.7	25.6	19.2
19-06-2025	949.7	93.2	26.0	5.8
20-06-2025	952.8	94.3	24.8	16.2
21-06-2025	953.0	93.0	26.1	5.6
22-06-2025	949.4	93.6	27.2	2.2
23-06-2025	955.1	96.4	24.7	32.0
24-06-2025	954.6	93.7	26.0	27.2
25-06-2025	953.2	92.4	25.8	18.4
26-06-2025	954.9	88.7	27.0	21.0
27-06-2025	955.5	98.4	25.4	0.0
28-06-2025	953.4	93.4	25.7	0.0
29-06-2025	949.4	83.3	28.6	0.0
30-06-2025	950.4	98.4	24.8	6.4
			Total	290.6

	STAR CEMENT LIMITED WahPynKon, Limestone Mine (MLA 4.85 Ha) Lumshnong, Meghalaya		Reference No.	SCL/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
Reference No.: SCL/ENV/AAQM/MONTHLY/2025-26/03			Date of Rev.	01.12.2020
Month : June				
Location of Sampling: Mines Entrance Haul Road		GPS Coordinate: 25°10'11"N 92°24'13"E 743 m		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
11.06.2025	Rainfall	Rainfall	Rainfall	Rainfall
27.06.2025	33.98	15.26	17.01	16.57
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analyzed By		 Checked By		 Verified By

	STAR CEMENT LIMITED WahPynKon, Limestone Mine (MLA 4.85 Ha) Lumshnong, Meghalaya		Reference No.	SCL/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
			Date of Rev.	01.12.2020
Reference No.: SCL/ENV/AAQM/MONTHLY/2025-26/03			Month : June	
Location of Sampling: ROC Driling Point		GPS Coordinate: 25°1007"N 92°24'17"E 761 m		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
11.06.2025	Rainfall	Rainfall	Rainfall	Rainfall
27.06.2025	30.63	19.28	16.47	14.82
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analyzed by  Checked By  Verified By				

	STAR CEMENT LIMITED WahPynKon, Limestone Mine (MLA 4.85 Ha) Lumshnong, Meghalaya		Reference No.	SCL/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
			Date of Rev.	01.12.2020
Reference No.: SCL/ENV/AAQM/MONTHLY/2025-26/03			Month : June	
Location of Sampling: Excavator Point		GPS Coordinate: 25°10'08"N 92°24'17"E 756 m		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
11.06.2025	Rainfall	Rainfall	Rainfall	Rainfall
27.06.2025	29.19	17.55	16.43	15.24
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analyzed by		 Checked By		 Verified By

	STAR CEMENT LIMITED (4.85 Ha.) Lumshnong, Meghalaya		Document No.		SCL/EHS/Env/F-03
			Effective Date		01-05-2019
			Revision No.		04
	NOISE LEVEL MONITORING REPORT		Revision Date		01-01-2021
Ref: SCL/ENV/NOISE/MONTHLY/2025-26/03 Date:- 17.06.2025					
WahPynkon Limestone Mine (MLA 4.85 Ha.)					
Month - June					
S. No.	Location	Measured Values dB(A) Day time (6:00am to 10:00pm)			Norms In dB(A)
		Min.	Max.	Avg.	
1	Rock Breaker (10 mtr. Distance)	66.5	70.6	68.6	75
2	Dozer (10 mtr. Distance)	62.9	69.7	66.3	
3	Dumper (10 mtr. Distance)	67.2	68.4	67.8	
4	Excavator	64.2	70.5	67.4	
5	Village				55
	A) Lumshnong	37.9	45.5	41.7	
	B) Thangskai	39.2	42.8	41.0	
 Analyzed by  Checked By  Verified By					

STAR CEMENT Solid Setting	STAR CEMENT LIMITED Lumshnong, Meghalaya													Reference No.	SCL/EHS/F-04	
	WahPynKon, Limstone Mine (MLA 4.85 Ha.)													Issue No.	1	
														Date of Issue:	24.08.2013	
														Revision No.	3	
													Date of Rev.	01.06.2019		
Reference No.: SCL/ENV/WATER/MONTHLY/2025-26/03													Date of sample collection: 02.06.2025			
Surface Water Analysis Results													Date of Analysis: 02.06.2025 to 09.06.2025			
S.No.	Parameter	Unit	4.85 Ha	Umtyrngai Nallah		Umutha Nallah		Umso Nalah	Seshympa	Lunar	Lukha	Umbadoh	Tongseng	Lumshnong	Wahiajer	Standards norms as per IS 2296
			Seasonal Nallah	Up Stream	Down Stream	Up Stream	Down Stream	Down Stream				Seasonal Spring / Seasonal Nallah				
1	pH	-	7.3	7.2	7.3	7.2	7.2	7.2	7.3	7.3	7.4	7.3	7.6	7.6	7.3	6.5 - 8.5
2	Colour	Hazen	Colourless	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	10
3	Odour	-	Unobjectionable													
4	Chloride	mg/L	22.4	19.6	24.8	26.7	22.1	28.4	26.9	22.7	23.5	22.2	21.4	23.8	22.7	250
5	Total Hardness as CaCO ₃	mg/L	52.7	42.8	44.3	75.6	77.2	79.4	40.6	42.1	55.9	56.8	52.4	50.6	49.2	300
6	Suspended Solids	mg/L	42.8	42.9	45.2	44.5	46.8	49.3	44.2	40.8	46.2	40.9	42.7	39.2	38.9	-
7	Total Dissolve Solids	mg/L	234.7	223.8	235.7	246.1	288.6	304.8	232.4	214.9	156.4	126.2	142.3	112.8	176.3	500
8	Biochemical Oxygen Demand (For 3 days at 27 °C)	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.0
9	Oil & Grease	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
10	Temperature	° C	23.5	24.1	24.5	23.8	24.3	24.6	23.9	24.2	24.6	25.0	24.1	24.2	23.9	-
11	Conductivity	µS/cm	195.5	201.6	226.8	214.6	259.3	288.7	241.6	222.1	114.8	121.3	147.2	133.5	234.5	-
12	Flow	L/ Min	301.2	1651.6	2235.8	987.6	1105.7	1298.6	9963.7	2310.5	93256.2	992.7	854.0	1054.8	998.3	-
Shailendra Kumar Analyzed by K. Gaurav Checked by Jomde Verified by																