

STAR CEMENT LIMITED

Ref: SCL/EHS/LUM/2023-24/26

Dated: 14/09/2023

To,

The Member Secretary
Meghalaya State Pollution Control Board
'ARDEN', Lumpynggad,
Shillong, Meghalaya - 793014

Subject : Submission of Environmental Monitoring Report for the month of August, 2023.

Reference : Ref. No.: MPCB/CON-900-Pt-IV/2021-2022/76, Dated. Shillong, the 11th Feb, 2022.

Dear Sir,


This is in reference to above cited subject, we are hereby submitting the monthly Environmental monitoring reports of Ambient Air Quality for plant and ESZ including meteorological data, Stack Emission, Fugitive Emission, Surface water & Waste Water (STP) monitoring reports of Star Cement Limited Line-I for the month of **August, 2023**.

This is for your kind information, record and kindly acknowledge receipt of the same.

Thanking you,

Yours truly,

For **Star Cement Limited Line-I**



Laxmaiah Munjala
Unit Head

Enclosed: a/a

Copy To: The Regional Director, Central Pollution Control Board (CPCB), North Eastern Zonal Office, 'TUMSIR', Lower Motinagar, Shillong, Meghalaya-790314.

Regd. Office & Works: P.O. Lumshnong, East Jaintia Hills District, Meghalaya-793210, E-mail: ehslums@starcement.co.in

Corporate Office: Century House, 2nd Floor, P 15/1, Taratala Road, Kolkata-700088, e-mail: kolkata@starcement.co.in



AN ISO 9001, ISO 14001 & ISO 45001 CERTIFIED COMPANY

CIN NO. L26942ML2001PLC006663




STAR CEMENT LIMITED

Lumshnong, Meghalaya

Date (DD-MM-YYYY)	Pressure (mmHg)	Relative Humidity (%)	Temp. (C)	Manual Rain (mm)
01-08-2023	764.9	68.7	30.4	0.0
02-08-2023	762.5	75.9	28.6	3.0
03-08-2023	763.4	76.0	23.0	14.5
04-08-2023	761.8	85.2	22.0	78.8
05-08-2023	763.7	83.1	27.3	23.0
06-08-2023	760.2	89.0	22.0	98.0
07-08-2023	762.8	85.0	22.5	45.0
08-08-2023	763.8	84.0	22.0	62.0
09-08-2023	761.7	80.4	22.4	59.5
10-08-2023	761.4	87.6	22.0	101.9
11-08-2023	762.0	90.1	21.0	192.7
12-08-2023	763.8	89.7	21.0	153.0
13-08-2023	761.7	75.6	26.4	18.8
14-08-2023	760.0	70.9	26.7	19.8
15-08-2023	761.4	62.7	27.9	1.1
16-08-2023	763.5	60.4	28.4	4.2
17-08-2023	760.2	59.0	28.6	9.6
18-08-2023	762.9	60.0	29.0	0.0
19-08-2023	761.0	76.9	27.8	36.2
20-08-2023	762.0	67.8	28.4	4.6
21-08-2023	765.0	78.6	27.9	32.2
22-08-2023	761.0	75.1	28.4	23.2
23-08-2023	763.4	79.6	27.1	42.2
24-08-2023	761.0	78.0	27.6	44.2
25-08-2023	762.8	72.6	26.4	28.2
26-08-2023	761.4	90.0	25.6	125.8
27-08-2023	761.6	85.7	25.0	114.4
28-08-2023	762.9	79.5	26.7	77.8
29-08-2023	763.5	68.0	27.6	0.0
30-08-2023	761.4	62.0	29.7	0.0
31-08-2023	762.8	63.7	29.7	0.0
			Total	1413.7


	STAR CEMENT LIMITED Lumshnong, Meghalaya		Reference No.	SCL/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
			Date of Rev.	01.12.2020
Reference No.: SCL/ENV/AAQM/MONTHLY/2023-24/05			Month: August	
Location of Sampling: Near Star Club		GPS Coordinate: 25°10'36"N 92°23'16"E 928 m		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
01.08.2023	25.00	16.17	10.08	14.35
03.08.2023	32.27	18.03	10.14	12.51
14.08.2023	28.07	13.78	8.35	14.26
16.08.2023	24.57	16.17	8.14	12.88
18.08.2023	31.32	15.03	9.32	14.28
30.08.2023	30.96	17.87	8.20	11.78
No Monitoring Due to Heavy Rain fall				
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by	 Checked by		 Verified By	

	STAR CEMENT LIMITED Lumshnong, Meghalaya		Reference No.	SCL/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
			Date of Rev.	01.12.2020
Reference No.: SCL/ENV/AAQM/MONTHLY/2023-24/05			Month: August	
Location of Sampling: Near Pump House		GPS Coordinate: 25°10'42"N 92°23'32"E 919 m		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
01.08.2023	56.41	32.66	14.84	18.06
03.08.2023	51.06	33.54	15.86	19.09
14.08.2023	53.29	34.20	16.32	17.07
16.08.2023	57.28	32.53	15.77	16.00
18.08.2023	54.61	30.36	14.29	15.25
30.08.2023	56.11	32.73	12.61	16.11
No Monitoring Due to Heavy Rain fall				
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by	 Checked by	 Verified By		

	STAR CEMENT LIMITED Lumshnong, Meghalaya		Reference No.	SCL/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
			Date of Rev.	01.12.2020
Reference No.: SCL/ENV/AAQM/MONTHLY/2023-24/05			Month: August	
Location of Sampling: Near Security Gate - 3		GPS Coordinate: 25°10'27"N 92°23'37"E 944 m		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
01.08.2023	60.24	31.17	12.84	18.87
03.08.2023	54.89	34.21	13.86	19.90
14.08.2023	57.12	34.87	14.32	17.88
16.08.2023	61.11	33.20	13.77	16.81
18.08.2023	58.44	31.03	12.29	16.06
30.08.2023	59.94	33.40	10.61	16.92
No Monitoring Due to Heavy Rain fall				
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by	 Checked by		 Verified By	

	STAR CEMENT LIMITED Lumshnong, Meghalaya		Reference No.	SCL/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
		Date of Rev.	01.12.2020	
Reference No.: Tongseng Village /2023-24/05			Month: August	
Location of Sampling: Tongseng Village		GPS Coordinate: 25°10'08"N 92°24'17"E 756 m		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
No Monitoring Due to Heavy Rain fall				
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by	 Checked by		 Verified By	

	STAR CEMENT LIMITED Lumshnong, Meghalaya						Reference No.	SCL/Env/F-02	
							Issue No.	1	
	STACK EMISSION MONITORING ANALYSIS REPORT						Date of Issue	01.05.2019	
							Revision No.	5	
Report No: SCL/ENV/STACK/MONTHLY/2023-24/05						Date of Rev. 01.06.2021			
Analysis Result									
A. General Information About Stack									
1	Stack Identification No	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8
2	Stack Connected to	Kiln/Raw Mill	Coal Mill	Cooler	Roller Press	Cement Mill	Packing Plant	Primary Crusher	Secondary Crusher
3	Material of Construction (Stack/Duct)	Mild Steel	Mild Steel	Mild Steel	Mild Steel	Mild Steel	Mild Steel	Mild Steel	Mild Steel
4	Shape of duct	Circular	Circular	Circular	Circular	Circular	Circular	Circular	Circular
5	Whether duct is provided with permanent platform & ladder	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
B. Physical characteristic of stack									
1	Stack Height from ground level (meter)	45.4	37	30.4	24	30	28	21	17
2	Duct diameter at sampling point (meter)	3	1.2	2.8	1.4	1.5	1.1	1.2	1.0
3	Sampling height point from ground level (meter)	-	-	-	-	-	-	-	-
4	Cross sectional area of Duct/Stack (m²)	7.07	1.13	6.15	1.54	1.77	0.95	1.13	0.79
C. Pollution Control Device									
1	Details of pollution control device attached to stack	Reverse Air Bag House	Bag Filter	ESP	Bag Filter	Bag Filter	Bag Filter	Bag Filter	Bag Filter
D. Result of Sampling & Analysis of Gaseous Emission									
1	Date of Sampling	05.08.2023	05.08.2023	05.08.2023	19.08.2023	14.08.2023	14.08.2023	09.08.2023	09.08.2023
2	Ambient Temp (°C)	35	33	46	27	29	23	22	24
3	Stack Gas Temp (°C)	148	60	224	32	40	30	32	30
4	Exit Velocity of Gas (m/sec.)	16.85	12.06	9.93	13.06	13.65	12.01	12.54	13.43
5	Flow Rate (Nm³/ sec.)	79.83	11.53	35.28	18.30	21.49	10.62	12.93	9.80
6	Quantity of Emission (Nm³/ Hr)	287382.87	41525.46	126995.59	65862.80	77347.45	38215.52	46535.84	35262.08
7	Concentration of PM (mg/Nm³)	16.86	24.86	17.59	16.57	19.20	18.54	23.18	18.09
8	Concentration of SO₂ (mg/Nm³)	94.0	-	-	-	-	-	-	-
9	Concentration of NOx (mg/Nm³)	53.0	-	-	-	-	-	-	-
10	Oxygen (O₂) (%)	10.0	11.5	8.0	9.0	8.3	8.6	10.0	9.7
E. Remarks									
Standard									
PM - 30 mg/Nm³			SO₂ - 1000 mg/Nm³			NOx - 800 mg/Nm³			
Particulate Matter (PM), Sulphur di-oxide (SO₂), Oxide of Nitrogen (Nox), Electro Static Precipitator (ESP)									
 Analysis by  Checked by  Authorized Signatory									

	STAR CEMENT LIMITED Lumshnong, Meghalaya	Document No.	SCL/EHS/Env/F-04
		Date of Issued	01-05-2019
		Revision No.	2
	FUGITIVE EMISSION MONITORING REPORT	Revision Date	01-01-2021
Ref: SCL/ENV/FUGITIVE/MONTHLY/2023-24/05			
Month - August			
Date	Location	Fugitive Emission Results	As per CPCB/BIS Guideline
			Limit
		(in $\mu\text{g}/\text{m}^3$)	(in $\mu\text{g}/\text{m}^3$)
01.08.2023	Coal Storage Section	1168	2000
01.08.2023	Limestone Storage Section	1286	5000
 Analyzed By  Checked by  Verified By			

	STAR CEMENT LIMITED Lumshnong, Meghalaya				Reference No.	SCL/EHS/F-04
					Issue No.	1
	WATER TESTING REPORT				Date of Issue:	24.08.2013
					Revision No.	3
				Date of Rev.	01.06.2019	

Reference No.: SCL/ENV/WATER/MONTHLY/2023-24/05

Date of sample collection: 11.08.2023
Date of Analysis: 11.08.2023 to 14.08.2023

Sl.No.	Parameter	Unit	STP Inlet	STP Outlet	Standard Norms For Discharge of Environment Pollution (Notification Date: - 19th May 1993) & Consent To Operate vide letter no. MPCB/TB-900 (Pt-II)/2014- 2015/34 - dated Shillong, the 3rd Sep,2014
1	pH	-	7.3	7.5	5.5 to 9.0
2	Colour	Hazen	Colourless	Colourless	-
3	Odour	-	Odourless	Odourless	-
4	Chloride	mg/L	80.1	82.9	-
5	Total Hardness as CaCO ₃	mg/L	49.6	52.0	-
6	Suspended Solids	mg/L	76	18	100
7	Total Dissolve Solids	mg/L	313	322	-
8	Chemical Oxygen Demand	mg/L	131	32	250
9	Biochemical Oxygen Demand (For 3 days at 27 °C)	mg/L	42	12	30
10	Oil & Grease	mg/L	8.5	< 3.0	10
11	Temperature	° C	25	25	Shall not exceed 5.0°C above the receiving water temperature
12	Conductivity	µS/cm	483	492	-


 Analysis By


 Checked By


 Verified By

	STAR CEMENT LIMITED Lumshnong, Meghalaya													Reference No.	SCL/EHS/F-04
														Issue No.	1
														Date of Issue:	24.08.2013
														Revision No.	3
	WATER TESTING REPORT													Date of Rev.	01.06.2019

Reference No.: SCL/ENV/WATER/MONTHLY/2023-24/05										Surface Water Analysis Results					Date of sample collection:11.08.2023	
Date of Analysis: 11.08.2023 to 14.08.2023																
S.No.	Parameter	Unit	Umtyrngai Nallah		Umutha Nallah		Umso Nalah	Lunar	Lukha	Seshympa	Umbadoh	Tongseng	Lumshnong	Wahiajer	Standards norms as per IS 2296	
			Up Stream	Down Stream	Up Stream	Down Stream	Down Stream				Seasonal Spring / Seasonal Nallah					
1	pH	-	7.4	7.6	7.3	8.0	8.0	7.0	6.9	7.3	8.0	7.4	7.0	7.4	6.5 - 8.5	
2	Colour	Hazen	Colourless	Colourless	Colourless	Colourless	Colourless	Slightly Yellowish	Colourless	Colourless	Colourless	Colourless	Colourless	Colourless	10	
3	Odour	-	Unobjectionable												Unobjectionable	
4	Chloride	mg/L	17.7	21.3	19.5	19.9	23.0	42.0	14.7	20.2	28.4	19.3	21.3	21.6	250	
5	Total Hardness as CaCO ₃	mg/L	40.0	62.0	70.0	76.0	78.0	103.0	20.0	40.0	14.0	16.0	24.0	38.0	300	
6	Suspended Solids	mg/L	4.1	15.2	10.9	42.0	48.1	62.4	7.0	10.0	6.0	6.0	8.6	8.3	-	
7	Total Dissolve Solids	mg/L	268.4	275.8	225.9	285.0	301.0	215.0	60.0	95.0	167.0	20.0	30.0	172.0	500	
8	Biochemical Oxygen Demand (For 3 days at 27 °C)	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.0	
9	Oil & Grease	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	
10	Temperature	° C	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	-	
11	Conductivity	µS/cm	428.6	443.7	367.9	461.0	482.0	341.0	95.0	153.0	275.0	35.7	49.3	281.0	-	
12	Flow	L / Min	212562.2	531747.6	172808.0	545275.0	1116900.0	5221550.0	4985080.0	4941900.0	-	-	3586.9	-		

 Analyzed by	 Checked by	 Verified by
--	---	--