

STAR CEMENT MEGHALAYA LIMITED

Ref: SCML-MLA/EHS/LUM/2022-23/16

Dated: 21/03/2023

To,

The Member Secretary,
Meghalaya State Pollution Control Board,
'ARDEN' Lumpyngngad, Shillong – 793014

Subject : Submission of Environmental Monitoring Report for the month of Feb, 2023.

Reference : MPCB/ONLINE/CTO(R-I)/EJHD/2021/2022-2023/14, Dtd: Shillong, the 30th Aug, 2022.


Dear Sir,

This is in reference to above cited subject, we are hereby submitting the monthly Environmental monitoring reports of Ambient Air Quality monitoring including meteorological data, Fugitive Emission, Surface water monitoring reports of **M/s Star Cement Meghalaya Limited** over a **Mining Lease Area of 42.051 Ha** for the month of **February, 2023.**

This is for your kind information, record and kindly acknowledge receipt of the same.

Thanking You,

Yours truly,
For **STAR CEMENT MEGHALAYA LIMITED**



Laxmaiah Munjala
Unit Head

Enclosed: a/a

- Copy To:** 1) The Deputy Director General of Forest (Central), Ministry of Environment Forest & Climate Change, Govt. of India, Regional Office, Shillong, Meghalaya-793021.
2) The Regional Director, Central Pollution Control Board (CPCB), North Eastern Zonal Office, 'TUMSIR', Lower Motinagar, Shillong, Meghalaya-790314.




STAR CEMENT MEGHALAYA LIMITED
Lumshnong, Meghalaya

Date (DD-MM-YYYY)	Pressure (mmHg)	Relative Humidity (%)	Temp. (C)	Manual Rain (mm)
01-02-2023	762.8	38.0	19.0	0
02-02-2023	765.4	38.5	16.0	0
03-02-2023	770.7	38.3	25.0	0
04-02-2023	770.5	39.3	22.0	0
05-02-2023	770	42.3	18.0	0
06-02-2023	769.2	65.0	17.0	0
07-02-2023	768.4	75.0	20.0	0
08-02-2023	767.9	80.4	27.0	0
09-02-2023	770.7	85.0	25.0	0
10-02-2023	770.5	89.4	18.0	0
11-02-2023	770	90.0	22.0	0
12-02-2023	769.2	38.0	23.0	0
13-02-2023	768.4	38.5	17.1	0
14-02-2023	767.9	38.3	15.1	0
15-02-2023	767.7	39.3	23.2	0
16-02-2023	767.9	42.3	23.0	0
17-02-2023	768.2	65.0	17.1	0
18-02-2023	768.5	75.0	15.1	0
19-02-2023	768.9	80.4	23.3	0
20-02-2023	769.2	85.0	23.5	0
21-02-2023	769.7	80.6	18.2	0
22-02-2023	767.7	90.0	10.6	23.6
23-02-2023	767.9	92.0	12.6	20.4
24-02-2023	768.2	39.3	19.2	0
25-02-2023	768.5	42.3	21.1	0
26-02-2023	768.9	39.0	23.3	0
27-02-2023	769.2	38.4	23.5	0
28-02-2023	760.8	35.7	23.0	0
			Total	44

	STAR CEMENT MEGHALAYA LIMITED (MLA 42.051 Ha) Lumshnong, Meghalaya		Reference No.	SCML/Env/F – 01
			Issue No.	1
			Date of Issue:	24.08.2013
	AMBIENT AIR QUALITY MONITORING REPORT		Revision No.	5
Date of Rev.			01.12.2020	
Reference No.: SCML/ENV/AAQM/MONTHLY/2022-23/03			Month: February	
Location of Sampling: Mines Entrance Haul Road		GPS Coordinate: 25°10'14.88"N 92°24'52.13"E		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
25.02.2023	55.60	32.20	13.03	14.73
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by		 Checked By		 Verified By

	STAR CEMENT MEGHALAYA LIMITED (MLA 42.051 Ha) Lumshnong, Meghalaya		Reference No.	SCML/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
			Date of Rev.	01.12.2020
Reference No.: SCML/ENV/AAQM/MONTHLY/2022-23/03			Month: February	
Location of Sampling: ROC Drilling Point		GPS Coordinate: 25°10'15.92"N 92°24'55.38"E		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
25.02.2023	50.68	31.85	9.49	13.74
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m ³)	60 (µg/m ³)	80 (µg/m ³)	80 (µg/m ³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by		 Checked By		 Verified By

	STAR CEMENT MEGHALAYA LIMITED (MLA 42.051 Ha) Lumshnong, Meghalaya		Reference No.	SCML/Env/F – 01
			Issue No.	1
	AMBIENT AIR QUALITY MONITORING REPORT		Date of Issue:	24.08.2013
			Revision No.	5
			Date of Rev.	01.12.2020
Reference No.: SCML/ENV/AAQM/MONTHLY/2022-23/03			Month: February	
Location of Sampling: Excavator Point		GPS Coordinate: 25°10'16.34"N 92°24'54.97"E 745 m		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM ₁₀ (µg/m³)	PM _{2.5} (µg/m³)	SO ₂ (µg/m³)	NO ₂ (µg/m³)
25.02.2023	47.11	33.67	13.13	15.19
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m³)	60 (µg/m³)	80 (µg/m³)	80 (µg/m³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by  Checked By  Verified By				

	STAR CEMENT MEGHALAYA LIMITED (42.051Ha) Lumshnong, Meghalaya		Reference No.	SCML/Env/F – 07 (a)
			Issue No.	1
	FUGITIVE EMISSION REPORT		Date of Issue:	01.12.2018
			Revision No.	2
		Date of Rev.	01.12.2020	
Ref: SCML/ENV/FUGITIVE/MONTHLY/2022-23/03				
(42.051 Ha)				
Month - February 2023				
Date	Location	Fugitive Emission Results	As per CPCB/BIS Guideline	
			Limit	
		(in $\mu\text{g}/\text{m}^3$)	(in $\mu\text{g}/\text{m}^3$)	
17.02.2023	Near Lime Stone loading area	1714	5000	
 Analyzed By  Checked By  Verified By				



STAR CEMENT MEGHALAYA LIMITED

Lumshnong, Meghalaya
(42.051 Ha)

Reference No.	SCML/EHS/F-04
Issue No.	1
Date of Issue:	24.08.2013
Revision No.	3
Date of Rev.	01.06.2019

Surface Water Analysis Results

Reference No.: SCML/ENV/WATER/MONTHLY/2022-23/03

Month: February

Date of sample collection: - 01.02.2023

Date of Analysis: 01.02.2023 to 04.02.2023

S.No.	Parameter	Unit	Umtyrngai Nallah		Umutha Nallah		Umso	Umbadoh	Tongseng	Lumshnong	Wahiajer	Standards norms as per IS 2296
			Up Stream	Down Stream	Up Stream	Down Stream	Down Stream	Seasonal Spring / Seasonal Nallah				
1	pH	-	7.7	Water Source not found			7.5	7.8	7.9	Water Source not found		6.5 - 8.5
2	Colour	Hazen	Colourless				Colourless	Colourless	Colourless		10	
3	Odour	-	Unobjectionable				Unobjectionable				Unobjectionable	
4	Chloride	mg/L	41.0				42.3	24.0	26.7		250	
5	Total Hardness as CaCO ₃	mg/L	67.1				81.2	70.0	40.2		300	
6	Suspended Solids	mg/L	1.5				4.2	6.1	5.0		-	
7	Total Dissolve Solids	mg/L	220				215	162	82.0		500	
8	Biochemical Oxygen Demand (For 3 days at 27 °C)	mg/L	ND				ND	ND	ND		2.0	
9	Oil & Grease	mg/L	ND				ND	ND	ND		-	
10	Temperature	° C	25.0				25.0	25.0	25.0		-	
11	Conductivity	µS/cm	330				323	243	123		-	
12	Flow	L / Min	-				-	-	-		-	

Analyzed by

Checked by

Verified by